

Nabídka pro jaro 2022, Ing. Robert Skalka, Zahradnictví Zbiroh, Líšenská 330, 338 08 Zbiroh, IČO: 45396418, DIČ: CZ6806181481, tel.: 774 371 226, aktualizace: prosinec 2021

| název | velikost | obal | ks | poznámka |
|---|----------|-------|-----|----------|
| <u>Jehličnaté dřeviny</u> | | | | |
| <i>Abies alba Pyramidalis</i> | 60-70 | k10l | 6 | R |
| <i>Abies amabilis Spreading Star</i> | 50-60 | k10l | 15 | R |
| <i>Abies koreana</i> | 30-40 | k2l | 10 | |
| <i>Abies koreana Tajga</i> | 50-60 | k10l | 4 | R |
| <i>Abies lasiocarpa Compacta</i> | 40-60 | k7l | 4 | R |
| <i>Abies nordmaniana Pendula</i> | 70-80 | k4l | 10 | R |
| <i>Abies nordmaniana Pendula</i> | 120-150 | k15l | 15 | R |
| <i>Abies pinsapo Glauca</i> | 60-80 | k15l | 10 | R |
| <i>Abies procera Argentea</i> | 50-60 | k10l | 5 | R |
| <i>Abies veitchii Pendula</i> | 50-60 | k7l | 8 | R |
| <i>Chamaecyparis nootkatensis Pendula</i> | 80-100 | k10l | 10 | R |
| <i>Chamaecyparis obtusa Nana Gracilis</i> | 20-25 | k1,5l | 100 | |
| <i>Chamaecyparis pisifera Nana</i> | 25-30 | k5l | 2 | |
| <i>Juniperus communis Green Carpet</i> | 25-30 | k1,5l | 150 | |
| <i>Juniperus conferta</i> | 30-40 | k2l | 20 | |
| <i>Juniperus horizontalis Blue Chip</i> | 25-30 | k2l | 20 | |
| <i>Juniperus horizontalis Ice Blue</i> | 20-25 | k1,5l | 150 | |
| <i>Juniperus horizontalis Lime Glow</i> | 25-30 | k2l | 80 | |
| <i>Juniperus sabina Tamariscifolia</i> | 40-50 | k7,5l | 60 | |
| <i>Juniperus squamata Blue Star</i> | 20-25 | k1,5l | 80 | |
| <i>Picea abies Acrocona Nana</i> | 50-60 | k20l | 10 | R kmínek |
| <i>Picea abies Cupresina</i> | 100+ | k20l | 3 | R |
| <i>Picea abies Harrachii</i> | 80-100 | k10l | 3 | R |
| <i>Picea abies Mikulášovice</i> | 50-60 | k5l | 5 | R kmínek |
| <i>Picea abies Nidiformis</i> | 40-60 | k10l | 5 | |
| <i>Picea abies Rothenhaus</i> | 150+ | k20l | 2 | R |
| <i>Picea breweriana</i> | 70-80 | k10l | 10 | R |
| <i>Picea engelmannii Glauca</i> | 30-40 | k5l | 15 | R |
| <i>Picea engelmannii Glauca</i> | 60-80 | k15l | 3 | R |
| <i>Picea glauca Globe</i> | 20-25 | k1,5l | 30 | |
| <i>Picea glauca Tompa</i> | 20-25 | k1,5l | 80 | |
| <i>Picea lutzii Machala</i> | 60-70 | k10l | 2 | R |
| <i>Picea omorika</i> | 80-100 | k4l | 30 | |
| <i>Picea omorika Nana</i> | 50-60 | k10l | 5 | R |
| <i>Picea omorika Pendula</i> | 150+ | k20l | 2 | R |
| <i>Picea orientalis Aureospica</i> | 120-150 | k10 | 30 | R |
| <i>Picea pungens Glauca Globosa</i> | 50-60 | k15l | 6 | R |
| <i>Picea pungens Maackii</i> | 70-80 | k15l | 20 | R |
| <i>Pinus Brepo</i> | 30-40 | k5l | 20 | |
| <i>Pinus densiflora Umbraculifera</i> | 50-60 | k5l | 10 | R |
| <i>Pinus mugo</i> | 20-25 | k2l | 250 | |
| <i>Pinus mugo</i> | 25-30 | k3l | 15 | |
| <i>Pinus mugo</i> | 30-40 | k5l | 10 | |
| <i>Pinus mugo Humpy</i> | 40-50 | k7,5l | 14 | R |
| <i>Pinus mugo Hvožd'any</i> | 50-60 | k4l | 10 | R kmínek |
| <i>Pinus mugo Jacobsen</i> | 30-40 | k4l | 20 | R |
| <i>Pinus mugo Zundert</i> | 50-60 | k7,5l | 5 | R |
| <i>Pinus resinosa Nana</i> | 50-60 | k10l | 3 | R |
| <i>Pinus sylvestris Albyns</i> | 30-40 | k4l | 7 | R |
| <i>Pinus sylvestris Fastigiata Glauca</i> | 60-70 | k10l | 5 | R |
| <i>Pinus sylvestris Nisbeth Aurea</i> | 50-60 | k10l | 4 | R |
| <i>Pinus sylvestris Watererii</i> | 30-40 | k5l | 30 | R |
| <i>Pinus sylvestris Watererii</i> | 60-70 | k15l | 6 | R |
| <i>Taxus media Fastigiata Robusta</i> | 70-80 | ZB | 50 | |
| <i>Taxus media Hilli</i> | 30-40 | ZB | 70 | |
| <i>Thuja occidentalis Smaragd</i> | 30-40 | k2l | 200 | |
| <i>Thuja occidentalis Smaragd</i> | 70-80 | k5l | 100 | |

| <u>Jehličnaté dřeviny - mladé rostliny</u> | | | | |
|---|---------|----------|------|---------------|
| <i>Cedrus atlantica</i> | 30-40 | k0,5l | 150 | |
| <i>Cephalotaxus haringtonia Fastigiata</i> | 20-25 | k0,5l | 100 | |
| <i>Juniperus communis Green Carpet</i> | 20-25 | k0,5l | 200 | |
| <i>Juniperus horizontalis Ice Blue</i> | 15-20 | k0,5l | 150 | |
| <i>Juniperus squamata Blue Carpet</i> | 15-20 | k0,5l | 40 | |
| <i>Juniperus squamata Blue Star</i> | 5-10 | k0,5l | 100 | |
| <i>Picea abies Tompa</i> | 20-25 | k0,5l | 50 | |
| <i>Taxus baccata</i> | 20-25 | k0,5l | 100 | |
| <i>Taxus media David</i> | 10-15 | k0,5l | 50 | |
| <i>Taxus media Fastigiata Robusta</i> | 10-15 | k0,5l | 200 | |
| <i>Taxus media Hilli</i> | 10-15 | k0,5l | 200 | |
| <i>Thuja occidentalis Smaragd</i> | 20-25 | k0,5l | 1000 | |
| <i>Thuja orientalis</i> | 15-20 | k0,5l | 80 | |
| | | | | |
| <u>Popínavé dřeviny</u> | | | | |
| <i>Hedera helix</i> | 25-30 | k0,5l | 100 | |
| <i>Hedera helix Gold Hearth</i> | 20-25 | k0,5l | 50 | |
| <i>Lonicera henryi</i> | 25-30 | k1l | 200 | |
| | | | | |
| <i>Parthenocissus quinquefolia Engelmannii</i> | 30-40 | K1,2l | 20 | |
| <i>Parthenocissus tricuspidata Veitchii</i> | 30-40 | K1,2l | 300 | R |
| <i>Parthenocissus vitacea</i> | 30-40 | K1,2l | 30 | |
| | | | | |
| <u>Listnaté dřeviny</u> | | | | |
| <i>Acer ginala</i> | 40-60 | k1,2l | 80 | |
| <i>Amelanchier grandiflora Prince William</i> | 30-40 | k2l | 100 | ovocná odrůda |
| <i>Amelanchier sp.</i> | VK | k7,5-10l | 20 | ovocná odrůda |
| <i>Amelanchier Thiessen</i> | 30-40 | k2l | 80 | ovocná odrůda |
| <i>Aronia melanocarpa Nero</i> | 30-40 | k1,2l | 60 | semenáč |
| <i>Berberis buxifolia Nana</i> | 30-40 | k2l | 50 | neopadavý |
| <i>Berberis thunbergii</i> | 40-50 | k2l | 20 | |
| <i>Berberis thunbergii Atropurpurea</i> | 25-30 | k1l | 120 | |
| <i>Berberis thunbergii Atropurpurea Nana</i> | 15-20 | k1l | 30 | |
| <i>Berberis thunbergii Green Carpet</i> | 15-20 | k1l | 70 | |
| <i>Buddleja davidii cv.</i> | 40-60 | K1,5l | 40 | |
| <i>Buxus microphylla Faulcner</i> | 20-25 | k0,5l | 40 | |
| <i>Buxus microphylla Rococco</i> | 20-25 | K1,5l | 100 | |
| <i>Buxus sempervirens</i> | 15-20 | k0,5l | 80 | |
| <i>Buxus sempervirens Aurea Pendula</i> | 40-60 | k2l | 30 | |
| <i>Buxus sempervirens Latifolia Maculata</i> | 15-20 | k2l | 80 | panašovaný |
| <i>Buxus sempervirens Suffruticosa</i> | 15-20 | k0,5l | 100 | |
| <i>Buxus sempervirens Suffruticosa</i> | 30-40 | k4l | 20 | |
| <i>Buxus sempervirens Tip Top</i> | 10-15 | k0,5l | 150 | panašovaný |
| <i>Buxus sinica Winter Beauty</i> | 25-30 | K1,5l | 30 | |
| <i>Caragana arborescens Pendula</i> | 150-180 | k7l | 10 | R kmínek |
| <i>Caragana arborescens Walker</i> | 120-150 | k5l | 10 | R kmínek |
| <i>Carpinus betulus</i> | 50-60 | k2l | 100 | |
| | | | | |
| <i>Caryopteris cladonensis Worcester Gold</i> | 20-25 | k1l | 120 | |
| <i>Cercidiphyllum japonicum Pendulum</i> | 150-200 | k10-15l | 15 | R kmínek |
| <i>Cercis canadensis</i> | 25-30 | K1,2l | 30 | |
| <i>Cornus alba Ivory Halo</i> | 30-40 | k2,5l | 20 | |
| <i>Cornus mas</i> | 50-60 | k2,5l | 20 | |
| <i>Coryllus avellana Tonda Romana</i> | 40-60 | k2l | 30 | |
| <i>Cotoneaster dammerii</i> | 20-25 | k0,5l | 60 | |
| <i>Cotoneaster dammerii Major</i> | 20-25 | k0,5l | 120 | |

| | | | | |
|---|-------|----------|-----|----------------|
| <i>Cotoneaster procumbens</i> Queen of Carpets´ | 20-25 | k0,5l | 250 | |
| <i>Cotoneaster salicifolius</i> Gnom | 25-30 | k0,5l | 250 | |
| <i>Cotoneaster salicifolius</i> Repens | 25-30 | k0,5l | 30 | |
| <i>Cotoneaster suecicus</i> Coral Bauty | 30-40 | k0,5l | 350 | |
| <i>Daphne cneorum</i> | 10-15 | K0,5l | 30 | |
| <i>Daphne transatlantica</i> Eternal Fragrance | 25-30 | K1,5l | 30 | duben |
| <i>Deutzia gracilis</i> Nikko | 10-15 | k1l | 100 | |
| <i>Deutzia rosea</i> Carminea | 30-40 | k1l | 100 | |
| <i>Deutzia scabra</i> Pride of Rochester | 40-50 | k2,5l | 30 | |
| <i>Deutzia scabra</i> Pride of Rochester | 40-50 | k1l | 100 | |
| <i>Euonymus fortunei</i> Colloratus | 30-40 | k1l | 200 | |
| <i>Euonymus fortunei</i> Emerald Gayetii | 20-25 | k0,5l | 150 | |
| <i>Euonymus fortunei</i> Emerald´n Gold | 20-25 | k0,5l | 150 | |
| <i>Euonymus fortunei</i> Gold Tip | 20-25 | k0,5l | 80 | |
| <i>Fagus sylvatica</i> Atropunicea | 60-70 | k3l | 20 | |
| <i>Fosythia intermedia</i> Lynwood s´Gold | 30-40 | k1l | 100 | |
| <i>Fosythia intermedia</i> Minigold | 30-40 | k1l | 100 | |
| <i>Genista lydia</i> | 15-20 | k0,5l | 120 | |
| <i>Hebe</i> sp. | 10-15 | k0,5l | 30 | |
| <i>Hibiscus syriacus</i> cv. | 30-40 | k2l | 40 | |
| <i>Hippophae rhamnoides</i> Sluníčko | 40-60 | k2l | 30 | samice |
| <i>Hydrangea arborescens</i> Annabelle | 20-25 | k1,2l | 50 | duben |
| <i>Hydrangea macrophylla</i> Altona | 40-60 | k2,5l | 30 | |
| <i>Hydrangea macrophylla</i> cv. | 40-60 | k2,5l | 30 | |
| <i>Hydrangea paniculata</i> Tardiva | 40-60 | k1,2l | 40 | |
| <i>Hypericum calycinum</i> | 20-25 | k1l | 20 | |
| <i>Chaenomeles speciosa</i> Crimson and Gold | 20-25 | k1l | 100 | |
| <i>Ilex aquifolium</i> Variegata | 20-25 | K0,5l | 50 | |
| <i>Ilex maservae</i> Blue Angel | 60-70 | k5l | 10 | samice |
| <i>Ilex maservae</i> Blue Angel | 25-30 | K1,5l | 15 | samice |
| <i>Ilex maservae</i> Blue Princ | 30-40 | K1,5l | 20 | samec |
| <i>Ilex pernyi</i> | 70-80 | k10l | 6 | |
| <i>Liriodendron tulipifera</i> | 100+ | k10l | 12 | |
| <i>Lonicera fragrantissima</i> | 20-25 | k1l | 60 | |
| <i>Lonicera kamtschatica</i> cv. | 30-40 | K1,2l | 100 | |
| <i>Lonicera nitida</i> Maigrun | 20-25 | k0,5l | 150 | |
| <i>Mahonia aquifolium</i> | 20-25 | K1,2l | 30 | |
| <i>Mahonia aquifolium</i> Apollo | 25-30 | K1,5l | 60 | |
| <i>Morus alba</i> Malinowek | 40-60 | k2l | 30 | |
| <i>Morus hybrida</i> Illinois Everberring | 40-60 | k2l | 50 | |
| <i>Philadelphus</i> Belle Etoile | 30-40 | k1l | 20 | |
| <i>Philadelphus</i> Manteau ´d Hermine | 30-40 | k2l | 30 | |
| <i>Philadelphus</i> purpureomaculatus | 20-25 | k1l | 30 | |
| <i>Potentilla fruticosa</i> Abbotswood | 20-25 | k1l | 80 | |
| <i>Potentilla fruticosa</i> Goldteppich | 40-50 | k2l | 30 | |
| <i>Potentilla fruticosa</i> Goldteppich | 20-25 | k1l | 100 | |
| <i>Potentilla fruticosa</i> Manchu | 20-25 | k1l | 30 | |
| <i>Potentilla fruticosa</i> Red Ace | 20-25 | k1l | 60 | |
| <i>Prunus avium</i> | VK | k7,5-10l | 40 | ovocné odrůdy |
| <i>Prunus domestica</i> | VK | k7,5-10l | 20 | ovocné odrůdy |
| <i>Prunus fruticosa</i> Carmine Jewel | 30-40 | k2l | 20 | |
| <i>Prunus laurocerasus</i> Caucasica | 60-70 | k3l | 60 | |
| <i>Prunus sargentii</i> Veredelung | 60-80 | k5l | 20 | |
| <i>Pyracantha coccinea</i> Red Column | 20-25 | k1l | 300 | Červené plody |
| <i>Pyracantha coccinea</i> Solei d´Or | 25-30 | k1l | 200 | žluté plody |
| <i>Pyracantha coccinea</i> Teton | 30-40 | k1l | 80 | oranžové plody |

| | | | | |
|--|---------|-------|-----|--------------------|
| <i>Rhodotypos scandens</i> | 25-30 | k1l | 20 | ovocná odrůda |
| <i>Ribes nigrum Titania</i> | 40-60 | K2l | 100 | ovocné odrůdy |
| <i>Ribes rubrum cv.</i> | 100-120 | k3l | 80 | R stromek |
| <i>Ribes rubrum Jonker van Teets</i> | 40-60 | K2l | 20 | ovocná odrůda |
| <i>Ribes rubrum Junifer</i> | 40-60 | K2l | 20 | ovocná odrůda |
| <i>Rosa Alberich</i> | 20-25 | k1l | 150 | červenáá pokravná |
| <i>Rosa glauca</i> | 40-60 | k2l | 30 | šedočervený list |
| <i>Rosa multiflora</i> | 40-60 | k3l | 40 | bílá beztrnná |
| <i>Rosa nitida</i> | 40-60 | k2l | 20 | |
| <i>Rosa rugosa</i> | 20-25 | k1l | 50 | |
| <i>Rosa rugosa Alba</i> | 40-50 | k2l | 20 | |
| <i>Rosa Sea Foam</i> | 20-25 | k1l | 150 | bílá pokravná |
| <i>Rosa sericea ssp. omeiensis</i> | 40-60 | k1l | 20 | okrasné trny |
| <i>Rubus fruticosus Thornfree</i> | 30-40 | k1l | 20 | ostružina beztrnná |
| <i>Rubus idaeus cv.</i> | 30-40 | k1l | 100 | červen |
| <i>Salix integra Hakuro Nishiki</i> | 40-50 | k2,5l | 20 | keř |
| <i>Sambucus nigra Black Beauty</i> | 50-60 | k2l | 20 | |
| <i>Sambucus nigra GoldenTower</i> | 50-60 | K1,2l | 100 | |
| <i>Sambucus nigra Serenade</i> | 50-60 | k2,5l | 40 | |
| <i>Sambucus racemosa Sutherland Gold</i> | 20-25 | K1,2l | 20 | |
| <i>Spiraea bumalda Crispa</i> | 20-25 | k1l | 60 | |
| <i>Spiraea bumalda Antony Waterer</i> | 20-25 | k1l | 120 | |
| <i>Spiraea cinerea Grefsheim</i> | 20-25 | k1l | 350 | |
| <i>Spiraea japonica Firelight</i> | 20-25 | k1l | 60 | |
| <i>Spiraea japonica Little Princess</i> | 20-25 | k1l | 30 | |
| <i>Spiraea nipponica Snowmound</i> | 20-25 | k1l | 60 | |
| <i>Symphoricarpos dorenbosii Mother of Pearl</i> | 40-60 | k2l | 20 | |
| <i>Symphoricarpos chenaultii Hancock</i> | 20-25 | k1l | 300 | |
| <i>Syringa meyerii Palibin</i> | 20-25 | k2l | 60 | červen |
| <i>Syringa vulgaris president Fallieres</i> | 60-70 | k10l | 3 | |
| <i>Viburnum fragrans Nanum</i> | 20-25 | k1l | 50 | |
| <i>Viburnum opulus Roseum</i> | 20-25 | k1l | 20 | |
| <i>Viburnum Pragense</i> | 40-60 | k2,5l | 20 | |
| <i>Weigela hybrida Atropurpurea</i> | 20-25 | k1l | 80 | |
| <i>Weigela hybrida Candida</i> | 40-60 | k2,5l | 80 | |
| <i>Weigela hybrida Nana Purpurea</i> | 20-25 | k1l | 50 | |
| <i>Weigela hybrida Nana Variegata</i> | 25-30 | k1l | 50 | |
| | | | | |
| | | | | |
| | | | | |
| Vřesoviřtní rostliny | | | | |
| <i>Andromeda polifolia Compacta</i> | 15-20 | K1,5l | 20 | |
| <i>Enkianthus campanulatus</i> | 60-70 | ZB | 5 | |
| <i>Pieris japonica cv.</i> | 20-25 | k2l | 20 | |
| <i>Pieris japonica Little Heath</i> | 15-20 | k0,5l | 40 | |
| <i>Rhododendron hybridum</i> | 40-100 | ZB | 80 | |
| <i>Rhododendron impeditum cv.</i> | 20-25 | k2l | 20 | |
| <i>Rhododendron luteum</i> | 40-50 | ZB | 20 | řlutá |
| <i>Rhododendron obtusum cv.</i> | 10-15 | k0,5l | 50 | |
| <i>Rhododendron obtusum cv.</i> | 20-25 | k2l | 30 | |
| <i>Vaccinium corymbosum cv</i> | 40-60 | k1l | 70 | borůvka |
| <i>Vaccinium vitis-idae Red Pearl</i> | 15-20 | k0,5l | 150 | brusinka |
| | | | | |
| | | | | |
| Bambusy | | | | |
| <i>Fargesia jiuzaigou</i> | 90-100 | k4l | 30 | |
| <i>Fargesia nitida</i> | 80-90 | k4l | 30 | |
| <i>Fargesia rufa</i> | 80-90 | k10l | 30 | |
| <i>Fargesia rufa</i> | 90-100 | k20l | 30 | |